

БЕЗОПАСНЫЙ ТЕЛЕВИЗИОННЫЙ ДОМ

OTT+IoT

RTM

ZigBee

- Android TV box with Zigbee : DM12 as gateway
- Support Zigbee, wifi, bluetooth.



DM12 - это смарт-ТВ-приставка Android IoT на базе чипсета S905X2, поддерживающая ОС Google Android 10. Он поддерживает HEVC/H.265 с разрешением до 4K и dolby digital для обеспечения лучшего аудиовизуального восприятия. Более того, он оснащен новейшим Wi-Fi , который поддерживает протокол 802.11 ax, который имеет низкое энергопотребление и более низкие помехи сигнала, в то же время высокую скорость транспортировки, в то время как встроенный шлюз zigbee позволяет расширить поле OTT для управления всеми продуктами для умного дома.



WiFi 6
CERTIFIED



111394, Москва, ул. Перовская 65
☎: (495) 789-4646, 789-4645
e-mail: telcogroup@telcogroup.ru

IOT

Zigbee(optional)	Built-in
------------------	----------

I/O

1*HDMI 2.0	Up to 4k resolution
2*USB HOST	High speed USB 2.0
1*RJ45	10/100M RJ45
1*IR	Infrared extender
1*Micro USB	Power supply 5V/2A

ACCESSORIES

Gift box	✓
Power cable	✓
HDMI adapter cable	✓
Bluetooth remote control	✓
User Manual	✓





HARDWARE


CPU	Amlogic S905X2 Quad-Core 64-bit Cortex-A53 up to 1.8GHz
GPU	Mali G31-MP2
DDR IV	DDR4 2GB or 4GB
Flash	8GB or 16GB EMMC
WiFi	2x2 mimo wifi (802.11 ax wifi6 optional)
Bluetooth 4.0	Included
Bluetooth RCU	Support Google voice search
Color	Black
Power	DC input 12V/1A

SOFTWARE

Android TV OS	Google androidtv os 9.0/10.0
Video/Picture encode	UHD 4K 60fps HW decode,FHD 1080P 60fps,H.265 10-bit, H.264,VC-1,MPEG1/2/4 AVS+,VP8/VP9 HW decode
Audio decode/encode	MP3,AAC,WMA,RM,FLAC,OGG,AC-3, Dolby
Language	Multi-language
DRM	PlayReady/Widevine/HDCP 2.2
Key features	Google PlayStore, ChromeCast Build-in, Google Voice search, PrimeVideo



DM12A		<p>Andrid tv bxo with bulit-in Zigbee(Tuya) , Amlogic S905X2, Quad core,64-Bit, 1.8Ghz : 1G+8G2x2 MIMO Dual band Wifi</p>
DM20		<p>DM20 Tuya Indoor Plug-in WiFi Camera</p> <ul style="list-style-type: none"> • Small body, multi-functions; • 2MP, high transmission lens, high quality imaging experience; • 100 degree high definition wide angle, wider vision; • 10m enhanced infrared night vision, also clear at night ; • Support mobile detection and real-time app alarm push; • Real time intercom with two-way voice for communication anytime and anywhere; • Watch the pictures of multiple computers on the same screen to get a panoramic view of the situation; • TF card can record video without network, and cloud storage is more secure; • Three kinds of installation methods: Ceiling / Wall hanging / Placing, inverted installation;
ZB-193		<p>Smart humidity and temperature</p> <ol style="list-style-type: none"> 1. Screen display 2. Easy installation of the wall or any surface by screw or tape 3. Battery type: CR123A x 1pcs 4. Allor current: 26uA alarm current: 120mA-130mA 5. Battery life: 2500 triggers (1 trigger per day, 3 triggers per day, 3 triggers 2 times per day) Standby time: 2year 6. Sensitive distance: 6 m 7. View: 110 degrees 8. Operating temperature: 0 C to 40 degrees C (32 degrees F to 104 degrees F) working humidity: 20% to 85% Storage temperature: 0 c to 60 degrees C (32 degrees F to 140 degrees F)
G05		<p>Zigbee Door/Window Sensor Battery: CR2032 Operating Temperature : -10°C-55°C Working humidity : 10%-90%RH (Non-condensing) Main function : Intelligent linkage Wireless Standard : WIFI802.11b/g/n Zigbee802.15.4 Housing material : ABS</p>

R01		<p>Zigbee PIR Motion Sensor Detection distance : 7-10M Detection angle : Wide angle 120° Battery:3V CR2450 Operating Temperature : -10°C-55°C Working humidity : 10%-90%RH (Non-condensing) Main function : Intelligent linkage Wireless Standard : WIFI802.11b/g/n Zigbee 802.15.4 Housing material : ABS</p>
-----	---	--